I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:

Attorney Docket No.: 2307AA-031220US Client Ref. No.: 90-160-5

OIPE SCTORY OF THE STATE OF THE

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

On <u>May **20** 2003</u>

TOWNSEND and TOWNSEND and CREW LLP

By: (Paula Faulk Hurley) talle found the

RECEIVED
MAY 2' 8 2003
TECH CENTER 1600/2000

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Steinunn Baekkeskov et al.

Application No.: 08/838,486

Filed: April 7, 1997

For: IMPROVED METHODS FOR THE DIAGNOSIS AND TREATMENT OF

DIABETES

Examiner:

G. Ewoldt

Art Unit:

1644

<u>DECLARATION OF STEINUNN</u>
<u>BAEKKESKOV</u>

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

I, Steinunn Baekkeskov, state as follows:

(1) I am Professor of Medicine and Microbiology/Immunology, and Horan Markarian Chair of Diabetes at the University of California, an assignee of the above-captioned application. A copy of my curriculum vitae is attached as Exhibit A. I have actively conducted research in diabetes for over twenty years. I regularly read the scientific literature, particularly that relating to diabetes, attend scientific meetings, and am conversant with the view of many colleagues.

**PATENT** 

Steinunn Baekkeskov et al. Application No.: 08/838,486

Page 2

P 3

- (2) I have reviewed the above-captioned application of which I am a co-inventor and have followed the prosecution history thereof. I understand that the priority date of the application is September 7, 1990.
- (3) The application is in large part premised on the discovery that glutamic acid decarboxylase (GAD) is a component of a pancreatic beta cell 64 kDa antigen that is a major autoantigen in insulin dependent diabetes mellitus (IDDM) (also known as type 1 diabetes). The application discloses administering GAD to a patient to inhibit or prevent IDDM. Administration of GAD induces tolerance to the 64 kDa autoantigen, thereby inhibiting or preventing further destruction of beta pancreatic cells, and the clinical symptoms of IDDM that eventually result from this destruction.
- (4) When an antigen is administered to a subject, it can induce either a tolerogenic or an immune response depending on the regime with which it is administered. The application teaches that care should be taken not to potentiate an immune response that would exasperate ß cell destruction. Based on my knowledge of the scientific literature, general principles for achieving a tolerogenic response rather than a harmful immunogenic response were within the state of the art as of September 1990. For example, standard immunology textbooks available at the priority date of the invention discuss how either low or high dosages of antigen favor a tolerogenic response, whereas intermediate dosages favor an immunogenic response (Benjamini & Leskowitz, Immunology: A Short Course (Liss, 1988) at p. 255-256; Golub, The Cellular Basis of the Immune Response (2<sup>nd</sup> ed. Sinauer, 1981) at page 291). These textbooks also discuss how the use of unaggregated antigen favors a tolerogenic response. Induction of antigen specific tolerance had been used successfully in numerous studies to suppress or prevent autoimmune disease in animal models ((Cremer et al., Collagen induced arthritis in rats: antigen-specific suppression of arthritis and immunity by intravenously injected native type II collagen. J. Immunol. 131, 2995-3000 (1983); Scherer et al., Control of cellular and humoral immune responses by peptides containing

Steinunn Baekkeskov et al. Application No.: 08/838,486

Page 3

1,1

T cell epitopes. Cold Spring Harbor Symp. Quant. Biol. 54, 497-504, 1989; Nagler-Anderson et al., Suppression of type II collagen induced arthritis by intragastric administration of soluble type II collagen. Proc. Natl. Acad. Sci. USA 83, 7443-7446 (1986); Higgins and Weiner. Suppression of experimental autoimmune encephalomyelitis by oral administration of myelin basic proteins and its fragments. J. Immunol. 140, 440-445 (1988)). Given this guidance as to how to generate a tolerogenic response to ameliorate autoimmune disease, I believe scientists in the IDDM field would be able to use the knowledge of an identity of a target autoantigen to devise conditions to obtain a tolerogenic response to prevent or delay disease as of September 1990.

- (5) This expectation has been confirmed by numerous reports in the scientific literature in which administration of GAD has been shown to induce tolerance in NOD mice and prevent IDDM (see *e.g.*, Tisch *et al.*, *Nature* 366, 71-75 (1993); Kaufman, *Nature* 366, 69-71 (1993), Tian *et al.*, *Nature Medicine* 12, 1348 (1996), Peterson *et al.*, *Diabetes* 44, 1478 (1994), and Pleau *et al.*, *J. Immunol. Immunopath.* 76, 90-95 (1995)). Several different parenteral routes of administration have successfully been used (see Harrison, *Molecular Medicine* 1, 722-727 (1994)).
- (6) The NOD mouse is a good model of the major type of IDDM in which human patients develop autoantibodes and T cells to GAD, because NOD mice also develop autoantibodies and T cells to GAD (see Tisch *et al.*, *Nature* 366, 72-75 (1993) at *e.g.*, p. 21, column 1, first paragraph). The NOD mouse is a genetic strain of mouse that spontaneously develops autoimmunity to GAD, and subsequently symptoms of IDDM, in a manner similar to development of IDDM in humans. Positive results in the NOD mouse have been used as evidence to support human clinical trials of a number of drugs to treat IDDM. For example, human clinical trial of humanized OKT3 to treat IDDM is underway following a showing that such an antibody reversed hyperglycemia in NOD mice (see attached summary of the trial and Herold et al., New Engl. J. Med. 346, 1692-1698 (2002)). Similarly, a human clinical trial of alpha interferon is underway following

Steinunn Baekkeskov *et al.* Application No.: 08/838,486

Page 4

a showing that ingestion of alpha interferon prevents diabetes in a NOD mouse (see attached summary of trial). Most importantly, the results using GAD to induce tolerance and prevent diabetes in the NOD mouse have been used as evidence to support human clinical trials of a GAD vaccine to treat human type II diabetic patients (non-insulin dependent). These patients are treated with oral medication, but have autoantibodies to GAD, demonstrating that they are experiencing autoimmune destruction of ß cells and are therefore likely to become insulin dependent. The vaccine has been shown to be safe. The results of phase II of the clinical trials, which may provide an indication of the efficacy of the vaccine in preventing patients from becoming insulin dependent, will be announced at the American Diabetes Association annual meeting in New Orleans, June 13-17, 2003 (see attached summaries of trial).

- (7) By contrast, the BB rat is not such a close model of IDDM in humans or other organisms that develop antibodies to GAD. The BB rat bears a genotype that results in spontaneous development of lymphocytopenia and clinical symptoms similar to those of IDDM. However, lymphocytopenia is not found in human IDDM. Furthermore, unlike the NOD mouse, and unlike most humans, the BB rat does not develop autoimmunity to GAD (see Petersen *et al.*, Autoimmunity 25, 129-138 (1997) at p. 134, col. 1). Because the BB rat does not develop autoantibodies to GAD, there is no reason to expect that therapeutic intervention with GAD would have any effect in the BB rat. Therefore, lack of such an effect in the BB rat, cannot be extrapolated to humans or other animals in which autoantibodies to GAD are present.
- (8) In my opinion, the above evidence shows that a tolerogenic response has been obtained to GAD in mouse model of IDDM that is protective for IDDM and is predictive of similar response in humans. In my opinion, the evidence further shows this response was obtainable based on the teaching of the specification and common knowledge in the field as of September 1990.

Steinunn Baekkeskov *et al.* Application No.: 08/838,486

Page 5

(9) I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Respectfully submitted,

SA Booleship

Steinunn Baekkeskov

TOWNSEND and TOWNSEND and CREW LLP Two Embarcadero Center, 8<sup>th</sup> Floor San Francisco, California 94111-3834

Tel: 650-326-2400 Fax: 415-576-0300

JOL:pfh PA 3303202 v1

# Exhibit A

#### STEINUNN BAEKKESKOV

#### Curriculum Vitae

Affiliation

Professor of Medicine and Microbiology/Immunology

Horan Markarian Chair of Diabetes

Address:

Hormone Research Institute/Diabetes Center, Box 0534

University of California, San Francisco

San Francisco, CA 94143-0534

**EDUCATION** 

1976:

Candidatus Scientarum, (M. Sc./Ph.D.degree) in Biochemistry from the University of

Copenhagen, Denmark.

1984:

Licentiata scientarum, (Ph.D. degree) in Immunology from the University of

Copenhagen, Denmark

PROFESSIONAL AND RESEARCH EXPERIENCE

1973-1975: Thesis student, Department of Chemistry, The Carlsberg Laboratory, Copenhagen.

Isolation characterization and chemical modification of enzymes from Saccharomyces cerevisae. Thesis: Characterization and chemical modification of glucose-6-phosphate

dehydrogenase from Brewers yeast.

1976 Lecturer in Biochemistry, Department of Biochemistry, University of Copenhagen

Medical School

1977-1979: Postdoctoral Fellow, Department of Biochemistry, International Laboratory for

Research on Animal Diseases (ILRAD), Nairobi, Kenya. Isolation and

characterization of membrane proteins and lipids of African trypanosomes.

1980-1982: Postdoctoral Fellow, Hagedorn Research Laboratory, Gentofte, Denmark. Research

area: Immunology/cell and molecular biology of the pancreatic  $\beta$ -cell. The role of

autoimmunity in the pathogenesis of insulin-dependent diabetes.

1982-1986: Staff Scientist, Hagedorn Research Laboratory.

1986-1989: Senior Staff Scientist, Hagedorn Research Laboratory (permanent position).

1987-1989: Member of a panel of 6 Senior Staff Scientist that formed the Directory Board of the

Hagedorn Research Laboratory.

1989-1992: Assistant Professor, Department of Medicine, Department of Microbiology/Immunology,

University of California, San Francisco

1992-1998 Associate Professor Department of Medicine, Department of Microbiology/Immunology,

University of California San Francisco.

1998-present Professor of Medicine and Microbiology/Immunology, University of California San

Francisco

1990-1992: Member of UCSF Graduate Program in Endocrinology

1992-date: Member of UCSF Graduate Program in Molecular Medicine in PIBS

1992-date: Member of UCSF Biomedical Sciences Graduate Program

1993-date: Member of UCSF Graduate Program in Immunology in PIBS

1994-date: Member of UCSF Graduate Program in Cell Biology in PIBS

## AWARDS AND HONORS

1970-1973 P. Wulff's Foundation Scholarship

1973-1975: Carlsberg Foundation Research Student Fellowship Award

1982-1984: Juvenile Diabetes Foundation Fellowship Award

1984-1987: Juvenile Diabetes Foundation Career Development Award.

1991-1993 NIH-Shannon Award

1997-current Horan Markarian Chair of Diabetes

### **PUBLICATIONS**

## Original Articles in Reviewed Journals:

- Rovis, L. and Baekkeskov, S. Subcellular fractionation of Trypanosoma brucei. Isolation and characterization of plasma membranes. Parasitology 80, 507-524 (1980).
- Baekkeskov, S., Kanatsuna, T., Klareskog, L., Nielsen, D.A., Peterson, P.A., Rubenstein, A.H., Steiner, D.F., and Lernmark, A. Expression of major histocompatibility antigens on pancreatic islet cells. Proc. Natl. Acad. Sci. USA 78, 6456-6460 (1981).
- 3. Steffes, M.W., Nielsen, O., Dyrberg, T., Baekkeskov, S., Scott, J., and Lemmark, A. Islet transplantation in mice differing in the I and S subregions of the H-2 complex. Transplantation 31, 476-479 (1981).
- Baekkeskov, S., Nielsen, J.H., Marner, B., Bilde, T., Ludvigsson, J., and Lernmark, A. Autoantibodies in newly diagnosed diabetic children immunoprecipitate specific human pancreatic islet cell proteins. Nature 298, 167-169 (1982).
- 5. Dyrberg, T., **Baekkeskov**, **S**., and Lernmark, A. Specific pancreatic β-cell surface antigens recognized by a xenogenic antiserum. J. Cell Biol. **94**, 472-477 (1982).
- 6. Dyrberg, T., Nakhooda, A.F., Baekkeskov, S., Lernmark, A., Poussier, P., and Marliss, E.B. Islet cell surface antibodies and lymphocyte antibodies in the spontaneously diabetic "BB" Wistar rat. Diabetes 31, 278-181 (1982).
- Kanatsuna, T., Baekkeskov, S., Lernmark, A., and Ludvigsson, J. Immunoglobulin from insulin-dependent diabetic children inhibits glucose-induced insulin disease. Diabetes 32, 520- 524 (1983).
- Baekkeskov, S., and Lernmark, A. Glucose stimulates the biosynthesis of a human pancreatic islet cell protein, detected by an antiserum against the human erythrocyte glucose transporter. FEBS Letters 157, 331-335 (1983).
- Baekkeskov, S., Dyrberg, T., and Lernmark, A. Autoantibodies against an Mr 64K islet cell protein precede the onset of insulin-dependent diabetes in the BB-rat. Science 224, 1348-1350 (1984).
- 10. **Baekkeskov**, S. and Lernmark, A. A β-cell glycoprotein of Mr 40,000 is the major rat islet cell immunogen following xenogenic immunization. Diabetologia 27, 70-73 (1984).
- 11. Gerling, I., Baekkeskov, S., and Lernmark, A. Islet cell and 64K autoantibodies are associated with plasma IgG in newly diagnosed insulin-dependent diabetic children. J. Immunol. 137, 3782-3785 (1986).
- Baekkeskov, S., Landin, M., Kristensen, J.K., Srikanta, S., Bruining, G.J., Mandrup-Poulsen, T., de Beaufort, C., Soeldner, J.S., Eisenbarth, G., Lindgren, F., Sundquist, G., and Lernmark, A. Antibodies to a Mr 64,000 human islet cell antigen precede the clinical onset of insulin-dependent diabetes. J. Clin. Invest. 79, 926-934 (1987).

- 13. Efrat, S., Baekkeskov, S., Lane, D., and Hanahan, D. Coordinate expression of SV40 large T and p53 proteins in β-cells of transgenic mice harboring hybrid insulin-large T antigen genes. Embo J. 6, 2699-2704 (1987).
- Warnock, G.L., Ellis, D., Rajotte, R.V., Dawidson, I., Baekkeskov, S., and Egebjerg J. Studies on the isolation and viability of human islets of Langerhans. Transplantation 45, 957-963 (1988).
- 15. Christie. M., Landin-Olsson; M., Sundkvist, G., Dahlquist, G., Lernmark, A. & Baekkeskov, S. Antibodies to a Mr 64,000 islet cell protein in Swedish children with newly diagnosed type 1 (insulin dependent diabetes. Diabetologia 31, 597-602 (1988).
- 16. Efrat, S., Linde, S., Kofod, H., Spector, D., Delannoy, M., Grant, S., Hanahan D., and Baekkeskov, S. β cell lines derived from transgenic mice expressing a hybrid insulin gene-oncogene. Proc. Natl. Acad. Sci. USA 85, 9037-9041 (1988).
- Hansen, W.A., Christie, M.R., Kahn, R., Norgaard, A., Abel, I., Petersen, A.M., Jorgensen, D.W., Baekkeskov, S., Nielsen, J.H., Lernmark, A., Egeberg, J., Richter-Olesen, H., Grainger, T., Kristensen, J.K., Brynitz, S., and Bilde, T. Supravital dithizone staining in the isolation of human and rat pancreatic islet. Diabetes Research, 10, 53-57 (1989).
- 18. Baekkeskov, S., Warnock, G., Christie, M., Rajotte, R.V., Mose-Larsen, P., and Fey, S. Revelation of specificity of 64k autoantibodies in IDDM serums by high-resolution 2D-gel electrophoresis. Unambiguous identification of 64k target antigen. Diabetes 38, 1133-1141 (1989).
- Schoenle, E.J., Boltshauser, E.J., Baekkeskov, S., Landin Olsson, M., Torresani, T., von Felten, A. Preclinical and manifest diabetes mellitus in young patients with Friedreich's atazia: No evidence of immune process behind the islet cell destruction. Diabetologia 32: 378-381 (1989).
- 20. Christie, M., Pipeleers, D., Lernmark, A., Baekkeskov, S. Cellular and subcellular localization of a Mr 64000 protein autoantigen in insulin-dependent diabetes. J. Biol. Chem. 265: 376-381 (1990).
- Baekkeskov, S., Aanstoot, H.J., Christgau, S., Reetz, A., Solimena, M., Cascalho, M., Folli, F., Richter-Olesen, H. and De Camilli, P. Identification of the 64k autoantigen in insulin-dependent diabetes as the GABA-synthesizing enzyme glutamic acid decarboxylase. Nature 347, 151-156 (1990).
- 22. Christgau, S., Schierbeck, H., Aanstoot, H.J., Aagaard, L., Begley, J.S., Kofod, H., Hejnaes, K. and Baekkeskov, S. Pancreatic β-cells express two autoantigenic forms of glutamic acid decarboxylase, a 65kDa hydrophilic form and a 64kDa amphiphilic form which can be both membrane-bound and soluble. J. Biol. Chem. 266, 21257-21264 (1991).
- Christgau, S., Aanstoot, H.J., Schierbeck, H., Begley, K., Tullin, S., Hejnaes, K. and Baekkeskov, S. Membrane anchoring of the autoantigen GAD<sub>65</sub> to microvesicles in pancreatic β-cells by palmitoylation in the N-terminal domain. J. Cell Biol. 118, 309-320 (1992).
- Moller, C.J., Cristgau, S., Williamson, M.R., Madsen, O.D., Zhan-Po, N., Bock, E. and Baekkeskov, S.
   Differential expression of neural cell adhesion molecular and cadherins in pancreatic islets,
   glucagonomas, and insulinomas. Molecular Endocrinology 92, 1332-1342 (1992).
- Richter, W., Shi, Y. and Baekkeskov, S. Autoreactive epitopes in glutamic acid decarboxylase defined by diabetes-associated human monoclonal antibodies are localized in the middle and C-terminal domains of the smaller form of glutamate decarboxylase. Proc. Natl. Acad. Sci., USA, 90, 2832-2836 (1993).
- Radvanyi, F., Christgau, S., Baekkeskov, S., Jolicoeur, C. and Hanahan, D. Pancreatic β cells cultured from individual preneoplastic foci in a multistage tumorigenesis pathway: a potentially general

- technique for isolating physiologically representative cell lines. Mol. Cell. Biol., 13, 4223-4232. (1993).
- 27. Petersen, J.S., Marshall, M.O., Baekkeskov, S., Hejnæs, K.R., Hoier-Madsen, M., and Dyrberg, T. Transfer of Type\_1 (insulin-dependent) diabetes mellitus associated autoimmunity to mice with severe combined immunodeficiency (SCID). Diabetologia 36, 510-515 (1993).
- 28. Kim, J., Richter, W., Aanstoot, H.-J., Shi, Y., Fu, Q., Rajotte, R., Warnock, G., and Baekkeskov, S. Differential expression of GAD65 and GAD67 in human, rat, and mouse pancreatic islets. Diabetes 42, 1799-1808 (1993).
- 29. Shi, Y. Veit, B., and Baekkeskov, S. Amino acid residues 24-31 but not palmitoylation of cysteines 30 and 45 are required for membrane anchoring of glutamic acid decarboxylase, GAD<sub>65</sub>. J. Cell. Biol. 124, 927-934 (1994).
- Aanstoot, H.-J., Sigurdsson, E., Shi, Y. Christgau, S., Grobbee, D. Bruining, G.J., Molenaar, J.L., Hofman, A., Baekkeskov, S. Value of antibodies to GAD<sub>65</sub> combined with islet cell cytoplasmic antibodies for predicting type 1 (insulin dependent) diabetes mellitus in a childhood population. Diabetologia 37, 917-924 (1994).
- Kim, J., Namchuk, M., Bugawan, T., Fu, Q., Jaffe, M., Aanstoot, H-J., Turck, C. W., Erlich, H., Lennon, V., and Baekkeskov, S. Higher autoantibody levels and recognition of a linear N-terminal epitope in the autoantigen GAD<sub>65</sub> distinguish stiff-man syndrome from insulin dependent diabetes. J. Exp. Med. 180, 595-606 (1994).
- 32. Aanstoot, H-J., Kang, S-M., Kim, J., Lindsay, L-A., Roll, U., Knip, M., Atkinson, M., Mose-Larsen, P., Fey, S., Fu, Q., Ludvigsson, J., Landin, M., Bruining, J., Maclaren, N., Åkerblom, H., Baekkeskov, S. Identification and characterization of glima 38, a glycosilated islet cell membrane antigen which together with GAD65 and IA2 marks the early phases of autoimmune response in type 1 diabetes. J. Clin. Invest. 97, 2772-2783 (1996).
- Syren, K., Stoehrer, B., Jury, K., Boehm, B. O., Baekkeskov, S., and Richter, W. Immune reactivity of diabetes associated human monoclonal antibodies defines multiple epitopes and detects two domain boundaries in glutamate decarboxylase. J. Immunol. 157, 5208-5214 (1996).
- Namchuk, M., Lindsay, L-A., Turck, C.W., Kanaani, J., and Baekkeskov, S. Phosphorylation of Serine Residues 3, 6, 10, and 13 distinguishes membrane anchored from soluble glutamic acid decarboxylase 65 and is restricted to glutamic acid decarboxylase 65α. J. Biol. Chem. 272, 1548-1557 (1997).
- 35. Kang, S.-M., Schneider, D.B., Lin, Z., Hanahan, D., Dichek, D.A., Stock, P.G., and Baekkeskov, S. Fas ligand expression in islets of Langerhans does not confer immune privilege and instead targets them for rapid destruction. Nature Med. 3:738-743 (1997).
- 36. Kash, S. F., Johnson, R.S., Tecott, L.H., Noebels, J.L., Mayfield, R.D., Hanahan, D., and Baekkeskov, S. Epilepsy in mice deficient in the 65 kDa isoform of glutamic acid decarboxylase. Proc, Natl. Acad. Sci. USA 94, 14060-14065 (1997).
- 37. Hensch, T. K., Fagiolini, M., Mataga, N., Stryker, M. P., Baekkeskov, S., and Kash, S. F. Local GABA circuit control of experience-dependent plasticity in developing visual cortex. Science 282, 1504-1508 (1998).
- Bridget, M., Cetkovic-Cvrlje, O'Rourke, R., Shi, Y., M., Narayanswami, S., Lambert, J., Ramiya, V., Baekkeskov, S., and Leiter, E. Differential protection in two transgenic lines of NOD/Lt mice hyperexpressing the autoantigen GAD65 in pancreatic beta cells. Diabetes 47, 1848-1856 (1998).

- 39. Kash, S. F., Tecott, L. H., Hodge, C., and Baekkeskov, S. Increased anxiety and altered responses to anxiolytics in mice deficient in the 65 kDa isoform of glutamic acid decarboxylase. Proc. Natl. Acad. Sci. 96, 1698-1703 (1999).
- 29. Schwartz, H., Chandonia, J.M., Kash, S. F., Tunnell, E., Domingo, A., Cohen, F., Banga, J. P., Madec, A.-M., Richter W., and Baekkeskov, S. High resolution epitope mapping and structural modeling of human glutamic acid decarboxylase 65. J. Mol. Biol. 287, 983-999 (1999).
- 30. Kash, S., Condei, B., and Baekkeskov, S. GABA in brain and pancreas: Lessons from knock-out mice. Hormone and Metabolic Research 31, 340-344, 1999.
- 31. Tian, N., Petersen C., Kash, S. F., Baekkeskov, S., Copenhagen, D. and Nicoll, R. The role of the synthetic enzyme GAD65 in the control of neuronal GABA release. Proc. Natl. Acad. Sci. USA, 96, 12911-12916, (1999).
- Kanaani, J., Lissin, D., Kash, S. F., and Baekkeskov, S. The hydrophilic isoform of glutamate decarboxylase, GAD67, is targeted to membranes and nerve termini independent of dimerization with the hydrophobic membrane anchored isoform, GAD65. J. Biol. Chem. 247, 37200-27209, (1999).
- 33. Roll, U., Turck, C.W., Gitelman, S.E., Rosenthal, S.M., Nolte, M.S., Masharani, U., Ziegler, A.-G., and Baekkeskov, S. Peptide mapping and characterization of glycosylation patterns of the glima 38 antigen recognized by autoantibodies in Type 1 diabetic patients. Diabetologia, 43, 598-608 (2000).
- 34. O'Rourke, R. W., Kang, S-M., Lower, J. A., Feng, S., Ascher, N. L., Baekkeskov, S., and Stock, P. G. A dendritic cell line genetically modified to express CTLA4-Ig as a means to prolong islet allograft survival. Transplantation 69, 1440-1446 (2000).
- 35. Kang, S-M., Braat, D., Schneider, D. B., O'Rourke, R. W., Lin, Z., Ascher, N. L., Dichek, D. J., Baekkeskov, S., and Stock, P. G. A non-cleavable mutant of Fas ligand does not prevent neutrophilic destruction of islet transplants. Transplantation, 69, 1813-1817, (2000).
- 36. Shi, Y., Kanaani, J., Menard-Rose, V., Ma, Y-H., Chang, P-Y, Hanahan, D., Grodsky, G., and Baekkeskov, S. Increased expression of glutamic acid decarboxylase and GABA in pancreatic β-cells impairs glucose-stimulated insulin secretion at a step proximal to membrane depolarization. Am. J. Physiol. Endocrinol. Metab. 279, 684-694, (2000).
- Wolfe, T., Bot, A., Hughes, A., Möhrle, U., Rodrigo, E., Jaume, J. C., Baekkeskov, S., and von Herrath, M. Endogenous expression of autoantigens influence success or failure of DNA immunizations to prevent type 1 diabetes: addition of IL-4 increases safety. Eur. J. Immunol. 32, 113-121. 2002.
- 38. Jaume, J. C., Parry, S. L., Madec, A.-M., Sønderstrup, G., and Baekkeskov, S. Suppressive effect of GAD65-specific autoimmune B lymphocytes on processing of T cell determinants located within the antibody epitope. J. Immunology 169, 665-672, 2002.
- 39. Kanaani, J., El-Husseini, A. E-D., Aguilera-Moreno, A., Diacovo, J. M., Bredt, D. S., and Baekkeskov, S. A combination of three distinct trafficking signals mediates axonal targeting and presynaptic clustering of GAD65. J. Cell Biol. 158, 1229-1238. 2002.
- 40. Hayakawa, N., Premawaedhana, L.D.K.E., Powell, M., Masuda, M., Arnold, C., Sanders, J., Evans, M., Chen, S., Jaume, J. C., Baekkeskov, S., Rees Smith, B. and Furmaniak, J. Isolation and characterization of human monoclonal autoantibodies to glutamic acid decarboxylase. Autoimmunity 35, 343-355, 2002.

## Symposia Papers, Reviews, and Book Chapters:

 Lernmark, A. and Baekkeskov, S. Islet cell antibodies - theoretical and practical implications. Diabetologia 21, 431-435 (1981).

- 2. Lernmark, A., Bonnevie-Nielsen, V., Baekkeskov, S., Dyrberg, T., Kanatsuna, T., and Scott, J. Islet cell antibodies. In: Etiology and pathogenesis of insulin-dependent diabetes mellitus, eds.: J.M. Martin, R.M. Ehrlich, and F.J. Holland, Raven Press, N.Y., pp. 61-71 (1981).
- 3. Baekkeskov, S., Dyrberg, T., Kanatsuna, T., Lernmark, A., Takei, I., and Soderstrum, K. The significance of ICSA in IDDM among Caucasians. In: Proceedings of the International Symposium on Clinico-Genetic Genesis of Diabetes Mellitus, Kobe, Feb. 11-12, 1982, eds.: G. Mimura, S. Baga, Y. Goto, and J. Kobberling, Excerpta Medica, Amsterdam, pp. 137-141 (1982).
- 4. Baekkeskov, S. and Lernmark, A. Rodent islet cell antigens recognized by antibodies in sera from diabetic patients. Acta Biol. Med. Germ. 41, 1111-1115 (1982).
- 5. Brogren, C.H., Baekkeskov, S., Dyrberg, T., Lernmark, A., Marner, B., Nerup, J., and Papadopoulos, G.K. Role of islet cell antibodies in the pathogenesis of type I diabetes. In: Diabetes and Immunology: Pathogenesis and Immunotherapy, eds.: H. Kolb, G. Schernthaner, and F.A. Gries, Hans Hubert Publishers. Berlin, pp. 65-78 (1983).
- Baekkeskov, S. Radiolabelling and immunoprecipitation of islet cell antigens. In: Methods in Diabetes Research, Volume I, part A, eds.: J. Larner and S.L. Pohl, John Wiley & Sons, Ltd., New York, pp. 129-140 (1984).
- 7. Lernmark, A., Baekkeskov, S., Dyrberg, T., Gerling, I., Marner, B., Papadopoulos, G., Svenningsen, A., Binder, C., Christie, M., Nerup, J., and Mandrup-Poulsen, T. Pathogenesis of Type I diabetes mellitus. In: Endocrinology, eds.: F. Labrie and L. Proulx, Elsevier Science Publishers B.V., pp. 94-96 (1984).
- 8. Michelsen, S., Baekkeskov, S., Deufel, Th., Kastern, W., Kofod, H., Lernmark, A., and Vissing, H. Mecanisme et controle genetique de la response auto-immune dirigee contre les cellules beta-pancreatiques au cours du diabete insulinodependant. In: Journees Annuelles de Diabetologie de l'Hotel-Dieu, ed.: M. Rathery, pp. 171-182 (1985).
- 9. Lernmark, A., Baekkeskov, S., Gerling, I., Kastern, W., Knutsen, C.B., and Michelsen, B. Immunological aspects of type I and II diabetes mellitus. In: Comparison of Type I and Type II Diabetes, eds.: M. Vranic, C.H. Hollenberg, and G. Steiner, Plenum Publ. Co., pp. 107-127 (1985).
- 10. **Baekkeskov, S.** Immunoreactivity to a Mr 64,000 human islet cell antigen in sera from insulin-dependent diabetes mellitus patients and individuals with abnormal glucose tolerance. Mol. Biol. Med. 3, 137-142 (1986).
- 11. Lernmark, A. and Baekkeskov, S. Insulin-dependent diabetes mellitus. In: Clinical Diabetes, ed.: J.K. Davidson, Thieme-Straighten Inc., New York, pp. 26-39 (1986).
- 12. Baekkeskov, S., Bruining, J., Srikanta, S., Mandrup-Poulsen, T., de Beaufort, C., Eisenbarth, G., Nerup, J., and Lernmark, A. Antibodies to an Mr 64,000 human islet cell protein in the prediabetic period of IDDM patients. Ann. N.Y. Acad. Sci. 475, 415-417 (1986).
- 13. Lernmark, A., Michelsen, B., Deufel, T., Grove, A., Kofod, H., and Baekkeskov, S.: Diabetes and Molecular Mechanisms of the Immune response. In: Proc. 2nd Internat. Conf. on the Use of Human Tissues and Organs for Research and Transplantation, eds.: J. Bridgets, S. Cades, and H.A. Luskin. The National Diabetes Research Interchange, Philadelphia, pp. 3-20 (1986).
- 14. Baekkeskov, S. The Mr 64,000 human islet cell autoantigen: Detection of antibodies in prediabetic individuals. In: Proc. 2nd. Internat. Conf. on the use of human tissues and organs for research and transplant, eds. L.M. Bridges, J.S. Cades, and H.A. Luskin, The National Diabetes Research Interchange, Philadelphia, pp. 26-29 (1986).
- 15. Baekkeskov, S., Christie, M., and Lernmark, A. Islet cell antibodies. In: The Immunology of Endocrine Diseases, ed.: A. McGregor, MTP Press Ltd., Lancaster, pp.73-88 (1986).

- Lernmark, A., Markholst, H., and Baekkeskov, S. Circulating signs of immune islet disease. In: The Pathology of the Endocrine Pancreas in Diabetes, eds.: P. Lefebvre, and D. Pipeleers, Springer Verlag, Heidelberg, pp. 53-70 (1987).
- 17. Lernmark, A., Li., S., Baekkeskov, S., Christie, M., Michelsen, B., Ursing, J., Landin-Olsson, M., and Sundkvist, G. Islet specific immune mechanisms. Diabetes/Metabolism Reviews 3, 959-980 (1987).
- 18. Michelsen, B., Baekkeskov, S., Herold, B., Christie, M., and Lernmark, Å. Autoimmune aspects of insulin-dependent diabetes mellitus. J. Japan Diabetes Soc. 30, 1077-1085 (1987).
- 19. **Baekkeskov**, S., Chang, C., Garrels, J.I., and Hanahan, D. Identification of proteins involved in β-cell growth using a transgenic mouse model developing β-cell tumors. In: Lessons in Animal Diabetes II, eds.: E. Shafrir and A.E. Renold, J. Libbey Co., London, pp. 174-178 (1988).
- 20. Baekkeskov, S., Markholst, H., and Christie, M. The 64 KD islet cell target antigen of humoral autoimmunity associated with IDDM in man and in the BB-rat. In: Lessons in Animal Diabetes II, eds.: E. Shafrir and A.E. Renold, J. Libbey Co., London, pp. 40-45 (1988).
- Lernmark A., Markholst, H., Laursen, H., Contreas, G., Altieri, M., Baekkeskov, S., Herald, K., Kastern, W., and Madsen, O.D. Studies on spontaneous and streptozotocin-induced diabetes in the rat and mouse. In: Journees de Diabetologie de l'Hotel-Dieu, ed.: M. Rathery, Flammarion Medicine Sciences, Paris, pp. 15-31 (1988).
- 22. Michelsen, B., Grove, A., Vissing, H., Kofod, H., Baekkeskov, S., Christie, M., Skak Pedersen, M., and Lernmark, A. Modern concepts of diabetes and its pathogenesis. In: International Handbook of Pancreas Transplantation, eds.: J.M. Dubernard and D.E.R. Sutherland, Kluwer Academic Publishers, pp. 13-24, (1989).
- 23. Baekkeskov, S. and Christie, M. Characterization of the 64kD membrane autoantigen in pancreatic β-cells. In: Current Communications in Molecular Biology, Perspectives on the Molecular Biology and Immunology of the Pancreatic β-Cell. eds.: D. Hanahan, McDevitt and G.C. Cahill, Cold Spring Harbor Laboratory Press, pp. 181-186 (1989).
- 24. Baekkeskov, S., Aagaard, L., Moller-Thousig, L., Schierbeck, H., Christgau, S., Sigurdsson, E., Niu, Z., Andersen, A.B., and Richter-Olesen, H. The β-cell autoantigen which one may be relevant? In: Diabetes 1988, eds.: R.G. Larkins, P.Z. Simmet and D.J. Chisholm. Excerpta Medica, Amsterdam, pp. 111-114 (1989).
- Sigurdsson, E. and Baekkeskov, S. The 64kDa β-cell membrane autoantigen and other target molecules of humoral autoimunity in insulin-dependent diabetes mellitus. Current Topics in Microbiology and Immunology 164, 143-167 (1990).
- Aanstoot, H.-J., Michaels, A., Christgau, S., Shi, Y., Kim, J., and Baekkeskov, S. Stiff-man syndrome and type-1 diabetes mellitus: Similarities and differences in autoimmune rections. IN: Motor Unit Hyperactivity States, ed.: Layzer, R.B., Raven Press, pp. 53-67 (1993).
- 27. Baekkeskov, S., Aanstoot, H.-J., Fu Q., Jaffe, M., Kim, J., Quan, J., Richter, W., and Shi, Y. The glutamate decarboxylase and 38kD autoantigens in type 1 diabetes: Aspects of structure and epitope recognition. Autoimmunity 15 (Suppl.) 24-26, 1993.
- Shi, Y., and Baekkeskov, S. Posttranslational modifications of the autoantigen glutamic acid decarboxylase, GAD65. In: Diabetes 1994, eds.: S. Baba and T. Kaneko. Elsevier Science B. V., Amsterdam, pp. 111-115 (1995).

- 29. Kash, S., Condei, B., and Baekkeskov, S. GABA in brain and pancreas: Lessons from knock-out mice. Hormone and Metabolic Research 31, 340-344, 1999.
- 30. Baekkeskov, S. Kanaani, J., Jaume, J. C., and Kash, S. Does GAD have a unique triggering role in IDDM? J. Autoimmunity 15, 279-286. 2000.

## **Book Editing:**

1. Baekkeskov, S. and Hansen, B.: Current Topics in Microbiology and Immunology, Vol. 164:: Human Diabetes: Genetic, Environmental and Autoimmune Etiology. Springer-Verlag, Heidelberg, pp. 1-198 (1990).